Michael A. Ruchim, M.D. 680 N. Lake Shore Dr. – Suite 118 Chicago, IL 60611 (312) 503-6000

MORNING COLONOSCOPY INSTRUCTIONS

DATE OF TEST: ______ TIME: ______ a.m. / p.m. (ARRIVE 30-45 MINUTES BEFORE YOUR SCHEDULED APPOINTMENT)

LOCATION:Northwestern Memorial Hospital G.I. Lab – 4th Floor Galter Pavilion675 N. St. Clair - Chicago, IL 60611

IN PREPARATION FOR THE PROCEDURE

- > Have the (<u>enclosed</u>) prescription for MoviPrep® filled.
- Call Northwestern Memorial Hospital at (312) 926-2950 (Mon-Fri 8:00 am 5:00pm) within 2-3 days of the procedure to pre-register (MANDITORY HOSPITAL REQUIREMENT).
- > Fill out the GI LAB QUESTIONNAIRE and PATIENT MEDICATION LIST (enclosed).
- Do not take **PEPTO BISMOL** or **IRON TABLETS** for **7 days** (one week) prior to the exam.
- Do not take any ASPIRIN, PLAVIX or any anti-inflammatory medications, such as MOTRIN, ALEVE, ADVIL or IBUPROFIN for 5 days prior to the procedure.
- If you take **COUMADIN/WARFARIN**, contact your Primary Care Physician so he/she can advise you when to stop taking it prior to the test.
- If you are on INSULIN, contact your Primary Care Physician regarding dosage adjustment.
- All medications **NOT LISTED ABOVE** may be taken normally as directed.

THE DAY BEFORE THE PROCEDURE

- In the morning, prepare one liter of MoviPrep® according to the instructions on the package and refrigerate.
- You must follow a clear liquid diet the day before the test. It is important to drink at least one glass of a clear liquid EVERY HOUR throughout the day.

YOU <u>MAY</u>HAVE:

- ✓ Apple Juice
- ✓ Cranberry Juice
- ✓ Black Coffee
- 🗸 Tea
- ✓ White Grape Juice

YOU <u>MAY NOT</u> HAVE:

- ✓ Sherbet
- ✓ Ice Cream

- ✓ Chicken or Beef Broth
- ✓ Popsicles®
- ✓ Jell-O® (NOT RED)
- ✓ Gatorade
- 🗸 Soda Pop
- ✓ Milk or Milk Products
- ✓ Orange Juice

(CONTINUED over)

THE DAY BEFORE THE PROCEDURE (continued)

- Between 5:00 and 6:00 p.m., drink the MoviPrep® as instructed; one full glass (8 oz.) every 10-15 minutes. Drink each glass quickly rather than drinking small amounts continuously. BE SURE TO DRINK ALL OF THE SOLUTION.
- > When finished, prepare the 2nd liter of MoviPrep® and refrigerate.
- Approximately 3-4 hours later, drink the 2nd liter of MoviPrep as the 1st; one full glass (8 oz.) every 10-15 minutes.
- > Additionally, drink 4 glasses (32 oz.) of water over the course of the evening.
- > You must not have ANYTHING BY MOUTH after midnight.

THE DAY OF THE PROCEDURE

Bring the completed **GI LAB QUESTIONNAIRE** and **PATIENT MEDICATION LIST** (<u>enclosed</u>) with you to registration. Report to the hospital approximately 15-30 minutes prior to your appointment time.

You <u>MUST</u> be accompanied by a friend or relative to drive and/or assist you home. Walking, taxi or public transportation is not allowed unless you have another adult with you. This is strict hospital policy and <u>failure to comply will result in cancellation of the procedure</u>. If you are unable to arrange for an adult to accompany you, you may call the hospital at (312) 926-7614 to discuss transportation options. This MUST be coordinated prior to the date of the test.

<u>***If you must cancel or reschedule your appointment, please give 72-HOUR NOTICE</u> to Dr. Ruchim's office at (312) 503-6000.***

*	*	*	*	۲	*	*	*	*	*	*	*	*	*	*
•	¥	¥	¥	¥	¥	Ŷ	Ŷ	Ŷ	¥	¥	¥	¥	¥	¥

If you have any questions or are experiencing any difficulty with the preparation, contact Dr. Ruchim at (312) 503-6000.

-		-	-			-	-		-	-	-	-		
â	â	â	â	â	8	â	â	â	â	â	â	â	*	8

Please contact Northwestern Patient Accounts at (312) 926-3642 (card enclosed) if you have any billing or insurance questions.